
Vintage Classic Kit Rack™

by VintageKeeping

VintageKeeping®

ASSEMBLY INSTRUCTIONS



FOR KIT RACKS:


- TASTING TABLE 32 32

INTRODUCTION

Thank you for purchasing a Vintage Classic KIT RACK.
The following instructions will help you assemble kits:


TASTING TABLE 32 32

Please study the instructions carefully prior to starting the assembly.




COMPONENTS

The following components
are included in Tasting Table 32 32



SIDE
LADDERS



MIDDLE
LADDERS







TABLE
TOP




BASE
MOULD
FRONT & SIDE




BASE
BLOCK



BASE
SIDES



SPACER
BARS




CLEATS

QUANTITY OF COMPONENTS

COMPONENT	QTY
SIDE LADDER	4
MIDDLE LADDER	14
COUNTER TOP	1
SPACER BARS	12
BASE SIDES	4
BASE BLOCKS	4
BASE MOULD FRONT	2
BASE MOULD SIDES	2
CLEATS	8

TOOLS REQUIRED


The following tools are required
(NOT INCLUDED):



NAIL GUN
(with appropriate air
compressor
or electric nailer)
18 gauge brand nails
(supplied)



WOOD
GLUE



PHILIPS HEAD SCREWDRIVER

IMPORTANT!
Always follow the manufacturer's instructions on how to use the nail gun to prevent injury. VintageKeeping is not liable for any injury incurred by any power or hand tool used to assemble the kit.

HARDWARE

The following hardware is included in all kits:




- **Philips Panhead 5/8"**

- **GAUGE BRAD NAILS (6 SLEEVES)**

ASSEMBLY- IB RACKS


STEP 1
APPLY GLUE TO SPACER BARS




APPLY GLUE TO 3 SPACER BARS

*Apply enough glue so that it will not run when the pieces are nailed together

STEP 2




2 NAILS PER CONNECTION FOR ALL 3 SPACER BARS



NAIL SPACER BARS TO OTHER SIDE THE SAME WAY AS THE PREVIOUS DIAGRAM

APPLY GLUE TO 3 MORE SPACER BARS AS IN STEP 1



FLIP RACK OVER


SIDE LADDER

MIDDLE LADDER

MAKE 2 IDENTICAL RACKS

STEP 3
APPLY GLUE TO CLEATS


APPLIE GLUE TO 4 CLEAT NOTCHES



CLEATS HAVE PRE-DRILLED HOLES

*Apply enough glue so that it will not run when the pieces are connected

STEP 4
TURN RACK OVER ON ITS TOP SPACER BARS




BOTTOM

PLACE CLEATS AT THESE LOCATIONS

TOP

A

SCREW CLEATS TO SPACER BARS AS SHOWN




Philips Panhead 5/8"

A


STEP 5
ASSEMBLE THE SECOND RACK INTO THE CLEATS IN FRONT OF THE OTHER RACK

SLIDE RACK TOWARD THE OTHER RACK IN ORDER TO PLACE IT WHERE THE CLEATS



ASSEMBLY- BASE


STEP 1




MAKE 3-4 NAILS PER CONNECTION
2 IDENTICAL BASES

STEP 2

ATTACH BASE MOULDS




FINISHED BASE ASSEMBLY




TASTING TABLE ASSEMBLY

STEP 1




STEP 2




PLACING THE COUNTERTOP

STEP
3



VIEW OF TASTE TABLE FROM UNDERNEATH TO
SHOW LOCATIONS OF NAILS



TASTING TABLE 32 32 ASSEMBLY IS COMPLETED